




**THE RIGHT GEAR.
RIGHT NOW.**

SPECIALTY SAFETY PRODUCTS
FROM **LHR SAFETY WORKSITE
OUTFITTERS**

ShovelIt®

HAND SAFETY TOOL

The ShovelIt® hand safety tool helps avoid hand injuries while working with suspended loads or maneuvering objects.



PART NUMBER	LENGTH	INSERT MATERIAL	HAND GUARD(S)	HANDLE
HST SHST21R	21"	Rubber	1	D-Handle
HST SHST21P	21"	Plastic	1	D-Handle
HST SHST21A	21"	Aluminum	1	D-Handle
HST SHST42R	42"	Rubber	1	D-Handle
HST SHST42P	42"	Plastic	1	D-Handle
HST SHST42A	42"	Aluminum	1	D-Handle
HST SHST50R	50"	Rubber	1	D-Handle
HST SHST50P	50"	Plastic	1	D-Handle
HST SHST50A	50"	Aluminum	1	D-Handle
HST SHST72R	72"	Rubber	2	Rubber End Grip
HST SHST72P	72"	Plastic	2	Rubber End Grip
HST SHST72A	72"	Aluminum	2	Rubber End Grip
HST SHST90R	90"	Rubber	2	Rubber End Grip
HST SHST90P	90"	Plastic	2	Rubber End Grip
HST SHST90A	90"	Aluminum	2	Rubber End Grip

HookIt®

HAND SAFETY TOOL

The HookIt® is a hand safety tool that helps you maintain control of an item while keeping hands away from no-touch hazards.



PART NUMBER	HOOK TYPE
HOOKIT-AH	Standard (44" OAL) – Fixed – Angled Hook
HOOKIT-JH	Standard (44" OAL) – Fixed – J Hook
HOOKIT-LH	Standard (44" OAL) – Fixed – L Hook
HOOKIT-TH	Standard (44" OAL) – Fixed – T Hook
HOOKIT-AH24	Short (24" OAL) – Fixed – Angled Hook
HOOKIT-JH24	Short (24" OAL) – Fixed – J Hook
HOOKIT-LH24	Short (24" OAL) – Fixed – L Hook
HOOKIT-TH24	Short (24" OAL) – Fixed – T Hook
HOOKIT-AHS	Standard (44" OAL) – Swivel – Angled Hook
HOOKIT-JHS	Standard (44" OAL) – Swivel – J Hook
HOOKIT-LHS	Standard (44" OAL) – Swivel – L Hook
HOOKIT-THS	Standard (44" OAL) – Swivel – T Hook
HOOKIT-AH24S	Short (24" OAL) – Swivel – Angled Hook
HOOKIT-JH24S	Short (24" OAL) – Swivel – J Hook
HOOKIT-LH24S	Short (24" OAL) – Swivel – L Hook
HOOKIT-TH24S	Short (24" OAL) – Swivel – T Hook

SnareIt®

HAND SAFETY TOOL

The SnareIt® hand safety tool enables users to quickly tighten or loosen a cable around a hard-to-capture item to move, set, or place it.

PART NUMBER	LOOP RANGE
SNAREITO212	2" to 12" Diameter
SNAREITO818	8" to 18" Diameter
SNAREIT1424	14" to 24" Diameter



GrateIt®

HAND SAFETY TOOL

The GrateIt® hand safety tool helps users avoid injuries when lifting, carrying, or moving grating.



PART NUMBER	SAFE WORKING LOAD
GRATEIT	50 lbs Max Per Tool

GrabIt®

HAND SAFETY TOOL

The GrabIt® hand safety tool enables users to securely maneuver suspended tubulars while enabling hands-off operations.



PART NUMBER	TUBULAR SIZE RANGE
GHST2	3" to 10" Diameter Range

HoldIt®

HAND SAFETY TOOL

The HoldIt® hand safety tool extends a worker's reach, keeping hands and fingers at a safe distance while striking an object.



PART NUMBER	TUBE LENGTH	LOOP RANGE
HOLDIT12	12"	0.75" – 4.00"
HOLDIT24	24"	0.75" – 6.00"
HOLDIT36	36"	0.75" – 6.00"

TwistIt®

HAND SAFETY TOOL



The TwistIt® Hand Safety Tool facilitates hands-off pipe stabbing and tubular maneuvering, minimizing the risk of pinching, smashing or crushing fingers or hands.

PART NUMBER	TUBULAR DIAMETER	WEIGHT
TWISTIT45	4.5" OD	3.2 lbs.
TWISTIT55	5.5" OD	3.2 lbs.

RackIt®

HAND SAFETY TOOL



The RackIt® no touch hand safety tool helps safely facilitate pipe rack-back in drilling rig operations.

PART NUMBER	TUBULAR DIAMETER	WEIGHT
RACKIT	4" – 8"	3.2 lbs.

SAFE-T-STIK

Safe-T-Stik magnetic load control safety tools are the only way to go when positioning heavy steel objects such as road plate, shoring, steel plate, large assemblies, large parts, large motors and other heavy steel objects.

TOOL	PART NUMBER	USAGE	HANDLE	LENGTH	PART WEIGHT	PIVOT
Safe-T-Stik	STS001	Load Control	T Handle	Fixed 54"	5 lbs.	180° pivot
Safe-T-Stik XL	STS002	Load Control	T Handle	Adjustable 58" to 90"	7 lbs.	180° pivot
Safe-T-Stik Mini	STS003	Lift and Pull	T Handle	Fixed 30"	4 lbs.	100° pivot
Safe-T-Stik Mini	STS003DH	Lift and Pull	D Handle	Fixed 36"	4 lbs.	100° pivot
Safe-T-Stik SR	STS005	Load Control	T Handle	Fixed 30"	4 lbs.	180° pivot
Safe-T-Stik SR	STS005DH	Load Control	D Handle	Fixed 36"	4 lbs.	180° pivot
Safe-T-Stik Lite	STS006-32	Load Control	Straight Grip	Fixed 32"	3 lbs.	100° pivot
Safe-T-Stik Lite	STS006-52	Load Control	Straight Grip	Fixed 52"	3.5 lbs.	100° pivot



MAGNA-GRAB

Magna-Grab is a multi-purpose, multi-use magnetic tool with many uses and applications where steel material is being hoisted overhead without ideal points for a tag line or tether.



PART NUMBER	WEIGHT
MG001	3 lbs.



The Sling-Stik tool allows a user to quickly grab onto chain slings, wire rope slings, synthetic slings, rebar, rope, webbing, welded handles or hard points, d-rings and eye bolts.

TOOL	PART NUMBER	HANDLE	LENGTH
SLING-STIK	SS001	D Handle	Fixed 60"
SLING-STIK XL	SS002	D Handle	Adjustable 64" to 98"
SLING-STIK SR	SS003	D Handle	Fixed 36"
SLING-STIK LITE 26	SSL026	Straight Grip	Fixed 26"
SLING-STIK LITE 38	STS005	Straight Grip	Fixed 38"
SLING-STIK LITE 50	STS005DH	Straight Grip	Fixed 50"
PART	PART NUMBER	DESCRIPTION	
SLING HOOKS 3 PACK	SH3PACK	This replacement or add-on 3 pack comes with the following size sling hooks. 1/2 inch, 5/8 inch and 3/4 inch. Works with: TAL001, SS001, SS002	
SLING-STIK 1 INCH HOOK	SH1000	Extra large 1 inch Sling-Stik tool chain hook for 1 inch lifting chain. Works with: TAL001, SS001, SS002	
SLING-STIK 1.25 INCH HOOK	SH1250	Extra, EXTRA large 1.25 (1 1/4) inch Sling-Stik tool chain hook for 1 1/4 inch lifting chain. Works with: TAL001, SS001, SS002	



The Grappler's uniquely shaped hook design, users can quickly and easily grab, hook, push, pull and control rigging, suspended loads, chain, assemblies, components and more.

TOOL	PART NUMBER	LENGTH
GRAPPLER 18	GRA001-18	18"
GRAPPLER 26	GRA001-26	26"
GRAPPLER 34	GRA001-34	34"



The Talon's unique dual hook design, users can quickly and easily grab, hook, push, pull and pick without putting hands on objects or near areas where cut, pinch and crush hazards exist.



PART NUMBER	LENGTH
TAL001	14"

Cert-A-Lift Pallet Lifter

LHR's Cert-A-Lift IV enables overhead cranes to lift pallets of material to be moved throughout a worksite where traditional forklift trucks may not have access.

PART NUMBER
CERTALIFTIVCROSBY



Dropped-Object Prevention Tethered Tool Kit

LHR's 100% Tie-off Tethered Tool Kit features tools tethered to multi-point hoisting strap, highly-visible, highly durable nylon webbed tamper resistant tethered lanyards, self-locking triple-action carabineers, and optional stainless steel snap hooks. The kit comes in a rugged tool box for easy, safe storage.

PART NUMBER
LHR TTK





The Multi-Grab is a multi-purpose, multi-use magnetic no touch safety tool that comes in various lengths and is a perfect choice for steel fabrication shops, steel mills, machine shops, manufacturing and many other industries.



TOOL	PART NO.	LOCKABLE	LENGTH	TUBE DIAMETER	HANDLE	PART WEIGHT	PIVOT
MULTI-GRAB II	MG002	No	12"	n/a	D Handle	2.5 lbs.	180° high pivot point
MULTI-GRAB III	MG003	Yes at 90° utilizing stainless steel spring pull pin	12"	n/a	D Handle	2.5 lbs.	180° high pivot point
MULTI-GRAB IV	MG004	No	12"	n/a	D Handle	3 lbs.	112° EZ lever release low pivot point
MULTI-GRAB IV 24"	MG004-24	No	24"	1.5"	D Handle	4.5 lbs.	112° EZ lever release low pivot point
MULTI-GRAB IV 36"	MG004-36	No	36"	1.5"	D Handle	5.5 lbs.	112° EZ lever release low pivot point
MULTI-GRAB IV 60"	MG004-60	No	60"	1.5"	D Handle	6 lbs.	112° EZ lever release low pivot point
MULTI-GRAB IV – ADJUSTABLE	MG004-XL	No	58" – 90"	1.5"	D Handle	8 lbs.	112° EZ lever release low pivot point
MULTI-GRAB IV 24" STRAIGHT GRIP	MG004-24SG	No	24"	1"	Straight	3.5 lbs.	112° EZ lever release low pivot point
MULTI-GRAB IV 36" STRAIGHT GRIP	MG004-36SG	No	36"	1"	Straight	3.7 lbs.	112° EZ lever release low pivot point
MULTI-GRAB V	MG005	Yes	9"	n/a	2 Position Locking Handle	3.5 lbs.	n/a

Snubby Hoist Anchor Point Safety Device

A hoisting hook accidentally placed under load when attached to a deck anchor point or handrail could result in anchor failure. Plus, the recoil under high load could be extremely dangerous for personnel in the immediate area. This is why LHR offers the Snubby hoist anchor point weak-link safety device, to help prevent any damage and injury.

SIZE	PART NUMBER
42"	LHR SNUBBY42
72"	LHR SNUBBY72



Snubbing Safety Cable

Snubbing Safety Cable 400 lbs. SWL, 3/16" x 42"

PART NUMBER
1467



Pipe Lift and Carry Devices

Made in the USA and constructed of tough polyester fiber webbing, every Lift and Carry product is tested for strength and durability. Now your crew can move heavy loads and pipes by hand, avoiding pinch points and finger danger giving your crew a hands-off safe solution.



PART	PART NUMBER
Double Handle Lift And Carry 2" Choke Valve	PLV
Single Handle Adjustable Length Pipe Lift And Carry	PL1ADJ
16" Double Handle Lift And Carry Pipe Sling	PL2

Tangle-Free Taglines

LHR’s tangle-resistant coated taglines are specifically designed to be a safe alternative to traditional rope taglines. The coated taglines provides rigidity preventing entanglement with personnel and other objects while also providing better grip for better control.



PART	PART NUMBER
RED – 10 FT	LHR TLD110
ORANGE – 15 FT	LHR TLD115
YELLOW – 20 FT	LHR TLD120
GREEN – 25 FT	LHR TLD125
Blue – 30 ft	LHR TLD130
Purple – 35 ft	LHR TLD135

PART	PART NUMBER
White – 40 ft	LHR TLD140
Grey – 45 ft	LHR TLD145
Brown – 50 ft	LHR TLD150
Black – 60 ft	LHR TLD160
Black – 65 ft	LHR TLD165